





MOCK DRILL








MOCK DRILL



MOCK DRILL





GPS Map Camera



Google

Thrissur, Kerala, India

H569+mgj Chemmanghatt Bldg, Opp. Amala Hospital Road, Amalanagar, Thrissur, Kerala 680555, India

Lat 10.561446° Long 76.168494°


Plus Code : 7J2RH569+H9


23/12/25 03:55 PM GMT +05:30

Note : Code Red Mock drill - ward 30





 GPS Map Camera



Thrissur, Kerala, India


H569+mgj Chemmanghatt Bldg, Opp. Amala Hospital Road,
Amalanagar, Thrissur, Kerala 680555, India


Lat 10.561427° Long 76.168522°

Plus Code : 7J2RH569+HC

23/12/25 03:52 PM GMT +05:30

Note : Code Red Mock drill - ward 30





GPS Map Camera



Google

Thrissur, Kerala, India

H569+f8v, Amalanagar, Thrissur, Kerala 680555, India

Lat 10.561452° Long 76.168398°

Plus Code : 7J2RH569+H9

23/12/25 03:44 PM GMT +05:30

Note : Code Red Mock drill - ward 30



CODE RED CHECKLIST

Location of Drill: Ward 30

Date: 23/12/2025 Time: 3:41 pm

Sl. No.	Standard	Standard time	Activated time	Remarks
1.	Intimated CODE RED from incident site	1 min	3:42 pm	
2.	Announced CODE RED through PA system	1 min	3:42 pm	
3.	First member of CODE RED team arrived	2 to 5 min	3:43 pm	
4.	Safety Officer Arrival time	2 to 5 min	3:44 pm	
5.	Fire Fighting and Evacuation initiated	2 to 5 min	3:44 pm	

Fire Fighting and Rescue Operations Drill

5.	Doors & Windows closed	YES/ NO/ NA
6.	Electrical appliances were turned off	YES/ NO/ NA
7.	HVAC units were shut down	YES/ NO/ NA
8.	Centralized medical gas supply turned off	YES/ NO/ NA
1.	Brought minimum of 4 fire extinguishers to the spot	YES/ NO/ NA
10.	Brought minimum of 2 stretchers and 3 wheel chairs to the spot	YES/ NO/ NA
11.	Removed equipments from incident area	YES/ NO/ NA
12.	All occupants participated & evacuated	YES/ NO/ NA
13.	Rooms checked prior to closing door	YES/ NO/ NA
14.	Staff rest rooms were checked for occupants	YES/ NO/ NA
15.	Evacuation was orderly	YES/ NO/ NA
16.	Team members were escorted and guided all persons from incident area to assembly point	YES/ NO/ NA
17.	No. of occupants evacuated	Patients: <u>05</u> , Visitors: <u>01</u> Staff: <u>06</u> , Team members: <u>01</u>
18.	Mode of Evacuation adopted	Vertical/ Horizontal/ Both
19.	PA System/Alarms clearly heard in all areas	YES/ NO
20.	Crowd managed by securities	YES/NO
21.	Elevators were switched off	YES/ NO/ NA
22.	Last person reached at the assembly point	Time: <u>3:51 pm</u>
23.	Total number of occupants reached the assembly area	Patients: <u>05</u> , Visitors: <u>01</u> , Staff: <u>06</u> , Team members: <u>01</u>
24.	Incident response team responded according to the plan	YES/ NO
25.	Incident response team carried out assigned duty	YES/ NO
26.	Announced all clear by Safety officer	YES/ NO
27.	Evaluation meeting held and route cause analysed	YES/NO

Total time taken for mock drill: 10 mins.

Notification method used : Public announcement/Fire alarm

Other observations if any: Non-team staff also came to the incident location.

Drill monitored by (Name, Designation & Signature): JANUKRISHNA K S DEPUTY MANAGER

Verified by (Name, Designation & Signature): Jaeson P.J


AIMS/CQI04/QC-10

ISSUE: 01

REV:00

Betsy

Amala Institute of Medical Sciences (An Undertaking of Amala Cancer Hospital Society)
 Affiliated to Kerala University of Health Sciences Accredited by KUHS with QAS A+ Grade 8
 NABH Accredited & ISO 9001:2015 Certified, Amala Nagar P.O, Thrissur, Kerala.
 Ph: 0487 2304000 | www.amalaaims.org | Follow us on



CODE PINK CHECKLIST

Type: Incident/Mock Drill

 Date & Time: 25/02/2021
 2:31 PM

Location: PAEDIATRIC OP

SL. NO:	EVENT	YES/NO	TIME OF OCCURANCE	TOTAL TIME TAKEN
1	Incident/Mock drill happened	YES	02:39 PM	
2	Child/Person found missing	YES	02:39 PM	
3	Checked with Parents/Guardian/relatives.	YES	2:39 PM	
4	Checked in nearby rooms.	YES	02:39 PM	
5	First responder dials for code pink alert.	YES	02:40 PM	
6	Code Pink Announcement happened.	YES	02:48 PM	
7	Team arrived the spot.	YES	02:50 PM	
8	Information intimated to main gate.	YES	02:52 PM	
9	Security seals all the exit points.	NO	NOT DONE	
10	Patient Relation Executive reached the parents/Guardian/relative.	YES	02:50 PM	
11	Search operation started.	NO	NOT DONE 02:54 PM	
12	Checked CCTV.	NO	NOT CHECKED	
13	Physical examination of child by doctor.	YES	02:54 PM	
14	Police station informed (if required)	-	-	
15	Child/Person found.	YES	02:54 PM	
16	Code pink called off.	YES	02:55 PM	

Deficiencies observed, If any:

- 1) ANNOUNCEMENT NOT RECEIVED - 2ND CALL NEED TO BE GIVEN
- 2) CODE PINK CALL NOT PROPER
- 3) SEARCH NOT OPERATIONAL NOT DONE
- 4) STAFF PREP NOT KNOW CORRECT PROCEDURE
- 5) SECURITY SEALS AT EXIT POINTS NOT CLOSED
- 6) CCTV NOT CHECKED

 Witness: Soumya Ignathious

 Supervised By: DR (LT COL) B VIPIN

AIMS/COP 11/QC-09

REV: 03 (16/12/2021)



MOCK DRILL REPORT

Date of Mock Drill: 02/09/2025
Time: 09:50 am
Location: Blood Centre hallway
Emergency Code: Code Red

OBJECTIVE OF DRILL

- To observe the response of all employee in case of fire and to see if they are following the policy for emergency response.

DRILL DESCRIPTION

A mock fire drill was conducted in the **Blood Center Hallway**, where A Quality team members simulated a fire by setting papers ablaze. The Blood Bank Staff responded promptly by:

- Activating the Code Red alert via Public Announcement System.
- One staff member used a fire extinguisher to put out the simulated fire.

The Security Staff and Fire Safety Officer (FSO) arrived, confirmed scene safety, and cleared the Code Red through a public announcement system.

Thereafter briefing done about the mock drill purpose and highlights.


DEVIATIONS

- There was a clarity issue with the Emergency Code Announcement, where "Code Red" was misheard as "Code Grey".
- Delay observed in announcing emergency code through Public Announcement System.


CAPA

- The counter staff were instructed to announce the message with clarity. This was notified by Fr. Jaison Mundanmany CMI.
- Also instructed to announce Emergency Code at the earliest without any delay.


Prepared by,



Ms. Hasna.K
Quality Executive

Verified by,


Mr. Jeeson P.
FSO

Approved by,


Ms. Susmi Alphonsa Kurian
Quality Coordinator



CODE RED CHECKLIST

Location of Drill: **SSOT**

Date: **19/01/2025**

Time: **3:53pm**

Sl. No.	Standard	Standard time	Activated time	Remarks
1.	Intimated CODE RED from incident site	1 min	3:54 pm	
2.	Announced CODE RED through PA system	1 min	3:54 pm	
3.	First member of CODE RED team arrived	2 to 5 min	3:55 pm	
4.	Safety Officer Arrival time	2 to 5 min	3:59 pm	
5.	Fire Fighting and Evacuation initiated	2 to 5 min	3:56 pm	

Fire Fighting and Rescue Operations Drill

5.	Doors & Windows closed	YES/NO/NA
6.	Electrical appliances were turned off	YES/NO/NA
7.	HVAC units were shut down	YES/NO/NA
8.	Centralized medical gas supply turned off	YES/NO/NA
9.	Brought minimum of 4 fire extinguishers to the spot	YES/NO/NA
10.	Brought minimum of 2 stretchers and 3 wheel chairs to the spot	YES/NO/NA
11.	Removed equipments from incident area	YES/NO/NA
12.	All occupants participated & evacuated	YES/NO/NA
13.	Rooms checked prior to closing door	YES/NO/NA
14.	Staff rest rooms were checked for occupants	YES/NO/NA
15.	Evacuation was orderly	YES/NO/NA
16.	Team members were escorted and guided all persons from incident area to assembly point	YES/NO/NA
17.	No. of occupants evacuated	Patients :--2--, Visitors :--Nil--, Staff :--10--, Team members :--6--
18.	Mode of Evacuation adopted	Vertical/ Horizontal/ Both
19.	PA System/Alarms clearly heard in all areas	YES/NO
20.	Crowd managed by securities	YES/NO
21.	Elevators were switched off	YES/NO/NA
22.	Last person reached at the assembly point	Time : 4:05 pm
23.	Total number of occupants reached the assembly area	Patients :--2--, Visitors :--Nil--, Staff :--10--, Team members :--6--
24.	Incident response team responded according to the plan	YES/NO
25.	Incident response team carried out assigned duty	YES/NO
26.	Announced all clear by Safety officer	YES/NO
27.	Evaluation meeting held and root cause analysed	YES/NO

Total time taken for mock drill: 12 min.

Notification method used : Public announcement/Fire alarm

Other observations if any: *Delay in response to call code Red.*


Drill monitored by (Name, Designation & Signature): *Jason P. J [1507]*

Verified by (Name, Designation & Signature): *Sumi Alphonsa Sumy*

AIMS/CQ104/QC-10

ISSUE: 01

REV:02



CODE ORANGE CHECKLIST

Date & Time: 28.02.2025 @ 10:17 am

Location: Hematology

Activity	Time	Activity by	Compliance to Protocol	Remarks
Information Communicated	10:17 am	Stephy [Lab Technician]	Yes/No ✓	Yes
"Code Orange" Activation	10:17 am	General Announcement System	Yes/No ✓	Yes
Reached within time			Yes/No ✓	
Arrival of Lab Staff	10:17 am	All assigned/Partial team/None	Yes/No ✓	
Arrival of GMC Staff HK	10:18 am	All assigned/Partial team/None	Yes/No ✓	
Arrival of HPC Staff HPC	-	All assigned/Partial team/None	Yes/No ✓	
Arrival of Maintenance Staff	-	All assigned/Partial team/None	Yes/No ✓	
Arrival of Biomedical staff	-	All assigned/Partial team/None	Yes/No ✓	
Arrival of Security staff	10:18 am	All assigned/Partial team/None	Yes/No ✓	
Arrival of HAZMAT Kit	10:18 am	Sufficient/Insufficient	Yes/No ✓	
Proper management of spill	10:25 am		Yes/No ✓	
Clearance HAZMAT way and bay	10:26 am	Sufficient/Insufficient	Yes/No ✓	
Crowd Management (by security staff)		Sufficient/Insufficient	Yes/No ✓	

Code Dispersed (Time and Name of Person): 10:27 am

Deviation from protocol (Delay, Insufficient Men and Material, Inefficiency in activity etc):

HPC staff was not present during the code orange.

Name & Signature of Command officer:

Sanukrishna K S 

AIMS/CQI-04/QC-27

ISSUE -01



CODE PINK CHECKLIST

 Type: ~~Incident~~/Mock Drill

 Date & Time: 25/02/25 @ 2:31 PM
REDEFINING CARE Every day every way

Location: PARDHANIL OP

SL. NO:	EVENT	YES/NO	TIME OF OCCURANCE	TOTAL TIME TAKEN
1	Incident/Mock drill happened	YES	02:39 PM	
2	Child/Person found missing	YES	02:39 PM	
3	Checked with Parents/Guardian/relatives.	YES	2:39 PM	
4	Checked in nearby rooms.	YES	02:39 PM	
5	First responder dials for code pink alert.	YES	02:40 PM	
6	Code Pink Announcement happened.	YES	02:48 PM	
7	Team arrived the spot.	YES	02:50 PM	
8	Information intimated to main gate.	YES	02:52 PM	
9	Security seals all the exit points.	NO	NOT DONE	
10	Patient Relation Executive reached the parents/Guardian/relative.	YES	02:50 PM	
11	Search operation started.	NO	NOT DONE	
12	Checked CCTV.	NO	NOT CHECKED	
13	Physical examination of child by doctor.	YES	02:54 PM	
14	Police station informed (if required)	-	-	
15	Child/Person found.	YES	02:54 PM	
16	Code pink called off.	YES	02:55 PM	

Deficiencies observed, If any:

- 1) ANNOUNCEMENT NOT RECEIVED - SECOND CALL NEED TO BE GIVEN
- 2) CODE PINK CALL NOT PROPER
- 3) SEARCH NOT OPERATION NOT STARTED PROPERLY
- 4) STAFF DOES NOT KNOW CORRECT PROCEDURE
- 5) SECURITY SEALS AT EXIT POINTS NOT CLOSED
- 6) CCTV NOT CHECKED

Witness: Soumya Ignathious

Supervised By: Dr. CV COL & Dr. VIPIN



AIMS/COP 11/QC-09


Dr. BETSY THOMAS
 MD, FRCOG, DNB, MICOG
 REV: 03 (18/12/2021)
 PRINCIPAL


 AMALA INSTITUTE OF MEDICAL SCIENCES
 AMALA NAGAR, THRISSUR-680 555


Mock drill Calendar 2025


CODE	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec	Code Coordinator
Code Red		ST. Marys 11.02.2025				SH Block 24.06.2025			Chavara 02.09.2025				Mr.Sanukrishna Asst.Operation Manager
Code Blue			SH 18.03.2025			ST. Marys 11.06.2025			Blood Centre 26.09.2025		Chavara 18.11.2025		Ms.Hasna.K Jr.Executive Quality
Code Pink			Chavara (Paediatric ward) 11.03.2025			Chavara (NICU) 17.06.2025			Chavara (Labour room) 04.09.2025		ST. Marys 11.11.2025		Mr.Jeeson Fire & Safety Technician
Code Brown		ED 08.02.2025						ED 09.08.2025					Ms.Hasna.K Jr.Executive Quality
CODE Orange	Chavara 16.01.2025			ST. Marys 03.04.2025			SH 22.07.2025				ST. Marys 08.11.2025		Dr.Dinu HIC Coordinator/ Mr.Jeeson Fire & Safety Technician
CODE Yellow			ST. Marys 29.03.2024				Chavara 08.07.2024				ST. Marys 25.10.2024		Mr.Jeeson Fire & Safety Technician

AMALA INSTITUTE OF MEDICAL SCIENCES
 AMALA NAGAR, THRISSUR-680 555

DR. BETSY THOMAS
 MD, FRCOG, DNB, MICOG
 PRINCIPAL

Prepared By

 Ms. Hasna.k
 Jr. Quality Executive




Verified By

 Ms. Susmi Alphonso Kurian
 Quality Coordinator

Approved By

 Fr. Deljo Puthoor CMI
 Joint Director & Accreditation Coordinator

Note: Dates of Mock drill will be informed only to Mock drill Coordinator and they can conduct Mock drill if they find any deviations in previously conducted Mock drill. RCA & CAPA must be submitted to Quality Control Department.



Amala Institute of Medical Sciences (An Undertaking of Amala Cancer Hospital Society)
 Affiliated to Kerala University of Health Sciences Accredited by KUHS with QAS A+ Grade &
 NABH Accredited & ISO 9001:2015 Certified, Amala Nagar P.O, Thrissur, Kerala.
 Ph: 0487 2304000 | www.amalaims.org | Follow us on 

CODE RED CHECKLIST

Location of Drill: Blood Centre Date: 02/09/2025 Time: 9:50 am

Sl. No.	Standard	Standard time	Activated time	Remarks
1.	Intimated CODE RED from incident site	1 min	9:50 am	
2.	Announced CODE RED through PA system	1 min	9:52 am	
3.	First member of CODE RED team arrived	2 to 5 min	9:53 am	Security staff (2)
4.	Safety Officer Arrival time	2 to 5 min	9:53 am	FSD
5.	Fire Fighting and Evacuation initiated	2 to 5 min	9:51 am	By Blood Centre Staff.

Fire Fighting and Rescue Operations Drill

5.	Doors & Windows closed	✓ YES/ NO/ NA
6.	Electrical appliances were turned off	✓ YES/ NO/ NA ✓
7.	HVAC units were shut down	✓ YES/ NO/ NA ✓
8.	Centralized medical gas supply turned off	✓ YES/ NO/ NA ✓
9.	Brought minimum of 4 fire extinguishers to the spot	✓ YES/ NO/ NA
10.	Brought minimum of 2 stretchers and 3 wheel chairs to the spot	✓ YES/ NO/ NA
11.	Removed equipments from incident area	✓ YES/ NO/ NA
12.	All occupants participated & evacuated	✓ YES/ NO/ NA
13.	Rooms checked prior to closing door	✓ YES/ NO/ NA
14.	Staff rest rooms were checked for occupants	✓ YES/ NO/ NA
15.	Evacuation was orderly	✓ YES/ NO/ NA
16.	Team members were escorted and guided all persons from incident area to assembly point	✓ YES/ NO/ NA
17.	No. of occupants evacuated	Patients: <u>Nil</u> , Visitors: <u>Nil</u> , Staff: <u>8</u> , Team members: <u>10</u>
18.	Mode of Evacuation adopted	Vertical/ Horizontal/ Both
19.	PA System/Alarms clearly heard in all areas	✓ YES/ NO
20.	Crowd managed by securities	✓ YES/ NO ✓
21.	Elevators were switched off	YES/ NO/ NA
22.	Last person reached at the assembly point	Time: <u>9:58 am</u>
23.	Total number of occupants reached the assembly area	Patients: <u>Nil</u> , Visitors: <u>Nil</u> , Staff: <u>8</u> , Team members: <u>10</u>
24.	Incident response team responded according to the plan	✓ YES/ NO
25.	Incident response team carried out assigned duty	✓ YES/ NO
26.	Announced all clear by Safety officer	✓ YES/ NO <u>10:00 am</u>
27.	Evaluation meeting held and route cause analysed	✓ YES/ NO

Total time taken for mock drill: 10 min

Notification method used : Public announcement/Fire alarm

Other observations if any: clarity issue in announcement of Emergency code.


Drill monitored by (Name, Designation & Signature): Harna K, Quality Executive

Verified by (Name, Designation & Signature): Lynni Alphonsa

AIMS/CQI04/QC-10

ISSUE: 01

REV:00



Amala Institute of Medical Sciences (An Undertaking of Amala Cancer Hospital Society)
 Affiliated to Kerala University of Health Sciences Accredited by KUHS with QAS A+ Grade &
 NABH Accredited & ISO 9001:2015 Certified, Amala Nagar P.O, Thirissur, Kerala
 Ph: 0487 2304000 | www.amalaaims.org | Follow us on

Dr. BETSY THOMAS
 MD, FRCCG, DNB, MFCOG

PRINCIPAL
 AMALA INSTITUTE OF MEDICAL SCIENCES
 AMALA NAGAR, THIRISSUR-680 555

CODE PINK CHECKLIST

Type: Incident/Mock Drill

Date & Time: 25/02/25 @ 2:31 PM

Location: PEDIATRIC OP

SL. NO:	EVENT	YES/NO	TIME OF OCCURANCE	TOTAL TIME TAKEN
1	Incident/Mock drill happened	YES	02:39 PM	
2	Child/Person found missing	YES	02:39 PM	
3	Checked with Parents/Guardian/relatives.	YES	2:39 PM	
4	Checked in nearby rooms.	YES	02:39 PM	
5	First responder dials for code pink alert.	YES	02:40 PM	
6	Code Pink Announcement happened.	YES	02:48 PM	
7	Team arrived the spot.	YES	02:50 PM	
8	Information intimated to main gate.	YES	02:52 PM	
9	Security seals all the exit points.	NO	NOT DONE	
10	Patient Relation Executive reached the parents/Guardian/relative.	YES	02:50 PM	
11	Search operation started.	NO	NOT DONE	
12	Checked CCTV.	NO	NOT CHECKED	
13	Physical examination of child by doctor.	YES	02:54 PM	
14	Police station informed (if required)	-	-	
15	Child/Person found.	YES	02:54 PM	
16	Code pink called off.	YES	02:55 PM	

Deficiencies observed, If any:


- 1) ANNOUNCEMENT NOT RECEIVED - SECOND CALL NEED TO BE GIVEN
- 2) CODE PINK CALL NOT PROPER
- 3) SEARCH NOT OPERATION NOT DONE
- 3) SEARCH OPERATION NOT STARTED PROPERLY
- 4) STAFF DOES NOT KNOW CORRECT PROCEDURE
- 5) SECURITY SEALS AT EXIT POINTS NOT CLOSED
- 6) CCTV NOT CHECKED

 Witness: Somya Ignabov

 Supervised By: Dr. CV COL B NIPIN
Betsy
Dr. BETSY THOMAS
 MD, FRCOG, DNB, MICOG
 PRINCIPAL

AIMS/COP 11/QC-09

 AMALA INSTITUTE OF MEDICAL SCIENCES
 AMALA NAGAR, THRISSUR-680 555
 REV: 03 (16/12/2024)

DR. BETSY THOMAS
MB, FRCOG, DNB, MICOG
PRINCIPAL
AMALA INSTITUTE OF MEDICAL SCIENCES
ZOO A NAGAR, THRISSUR-680 555

Jeeban



AMALA INSTITUTE OF MEDICAL SCIENCES
AMALA NAGAR, THIRISSUR-680 555

DR. BETSY THOMAS
MD, FRCS, DNB, MICOG

PRINCIPAL

J. Selby

Outcome :

Code cleared : 3:15 pm

CPR Terminated time :	CPR Duration
ROSC at am/pm	Shifted to Expired at am/pm
Recorder: <u>Siv Johnny</u>	Signature: <u>[Signature]</u>

Code Blue Team Members

Name	Designation	Time of arrival	Signature
Doctor 1: <u>DR. Antony Kallath</u>	<u>DUTY MO</u>	<u>3.2 pm</u>	<u>[Signature]</u>
Doctor 2: <u>DR. Jeeran</u>	<u>P4 Casualty</u>	<u>3.2 pm</u>	<u>[Signature]</u>
Doctor 3: <u>DR. Sachin</u>	<u>JR</u>	<u>3.2 pm</u>	<u>[Signature]</u>
Nurse 1: <u>Siv Somitha</u>	<u>Staff nurse</u>	<u>3.2 pm</u>	<u>[Signature]</u>
Nurse 2: <u>Siv Johnny</u>	<u>Staff nurse</u>	<u>3.2 pm</u>	<u>[Signature]</u>
Nurse 3: <u>Siv Princy</u>	<u>Staff nurse</u>	<u>3.2 pm</u>	<u>[Signature]</u>
Nurse 4:			

Pre Arrest Diagnosis :

Post Events Analysis

Events	Status
Initiation of CPR	Immediate / delayed
Time of arrival of team	< 3 minutes / > 3 minutes / NA
Time of arrival of crash cart	< 2 minutes / > 2 minutes / NA
CPR Quality	High Quality / Low Quality
Overall co-ordination	Well co-ordinated / Poorly co-ordinated

Equipment	Status
AED	Functional/ Non functional
Ambu	Functional/ Non functional
Suction	Functional/ Non functional
Laryngoscope	Functional/ Non functional

Deviation, if any (RCA) :


Name & Signature of Code Blue Team Leader (Senior PG) : [Signature]

Name & Signature of Code Blue Co-ordinator (Nursing Administration / PRE) : [Signature]

No deviation observed in mock drill conducted.

CPR analysis committee recommendation/CAPA :

Team performance was very satisfactory.



Dr. BETSY THOMAS
MD, FRCOS, DNB, MICOG
PRINCIPAL

AMALA INSTITUTE OF MEDICAL SCIENCES
AMALA NAGAR, THIRISSUR-680 555