

## HOSTEL FACILITIES

**Standard: 1.5.4**

**Measurable point: Water/ Electricity facilities**

AMALA INSTITUTE OF MEDICAL SCIENCES MEDICAL COLLEGE HOSPITAL AIMS-HOSTEL FINANCIAL YEAR 2025 - 2026 LEDGER FROM 123 01 April 2025 TO 31 March 2026								
Ref/No	Date	Narration	Opening		Current		Closing	
			Credit	Debit	Credit	Debit	Credit	Debit
<b>ELECTRICITY CHARGES</b>						<b>1485588</b>		<b>1485588</b>
<b>AMALA MEDICAL COLLEGE</b>						<b>1485588</b>		<b>1485588</b>
<b>April</b>						<b>381270</b>		<b>381270</b>
J. No	1028	30/04/25 Electricity charge paid from hospital accounts of				381270		381270
<b>May</b>				381270		373232		754502
J. No	2073	31/05/25 Electricity charge paid from hospital accounts of				373232		373232
<b>June</b>				754502		386839		1141341
J. No	3051	30/06/25 Electricity charge paid from hospital accounts of				386839		386839
<b>July</b>				1141341		344247		1485588
J. No	4056	31/07/25 Electricity charge paid from hospital accounts of				344247		344247

ELECTRICITY BILL FOR HOSTEL – SAMPLE COPY

GENERATOR					
PLACE	ID	AMC	AMC	AMC	
CHAVARA	500 KVA	GNR-1			
CHAVARA	200 KVA	GNR-2	Calicut		
CHAVARA	630 KVA	GNR-3	"		
AYM	200 KVA	GNR-4	"		
ST MARY'S	630 KVA	GNR-5	"		
ONCOLOGY	630 KVA	GNR-6	"		
ST MARY'S	1250 KVA	GNR-7	Sunthra		


GENERATOR FOR POWER BACKUP

*Betsy*

**Dr. BETSY THOMAS**  
MD, FRCOG, DNB, MICOG

PRINCIPAL  
Page 1 of 3

AMALA INSTITUTE OF MEDICAL SCIENCES  
AMALA NAGAR, THRISSUR-680 555

Amala Institute of Medical Sciences (An Undertaking of Amala Cancer Hospital Society)  
Affiliated to Kerala University of Health Sciences Accredited by KUHS with GASA + Grade  
NABH & NABL Accredited & ISO 9001:2015 Certified, Amala Nagar P.O, Thrissur, Kerala.  
Ph: +91 487 2304000, 2304070 | Fax: +91 487 2307969 | urooncology@amalaaims.org  
www.amalaaims.org | Follow us on 





AMALA INSTITUTE OF MEDICAL SCIENCES  
MEDICAL COLLEGE HOSPITAL  
AIMS-HOSTEL  
FINANCIAL YEAR 2025 - 2026  
LEDGER FROM 123 01 April 2025 TO 31 March 2026

Ref#No	Date	Narration	Opening		Current		Closing	
			Credit	Debit	Credit	Debit	Credit	Debit
		<b>ELECTRICITY CHARGES</b>				<b>1485588</b>		<b>1485588</b>
		<b>AMALA MEDICAL COLLEGE</b>				<b>1485588</b>		<b>1485588</b>
		<b>April</b>				<b>381270</b>		<b>381270</b>
J. MF	1028	30/04/25 Electricity charge paid from hospital accounts of				381270		
		<b>May</b>		<b>381270</b>		<b>373232</b>		<b>754502</b>
J. MF	2073	31/05/25 Electricity charge paid from hospital accounts of				373232		
		<b>June</b>		<b>754502</b>		<b>386839</b>		<b>1141341</b>
J. MF	3051	30/06/25 Electricity charge paid from hospital accounts of				386839		
		<b>July</b>		<b>1141341</b>		<b>344247</b>		<b>1485588</b>
J. MF	4056	31/07/25 Electricity charge paid from hospital accounts of				344247		

*Betsy*


Dr. BETSY THOMAS  
MD, FRCOG, DNB, MICOG  
PRINCIPAL  
AMALA INSTITUTE OF MEDICAL SCIENCES  
AMALA NAGAR, THRISSUR-680 555



**HOSTEL FACILITIES**

**Standard: 1.5.4**

**Measurable point: Water/ Electricity facilities**



**PURIFIED DRINKING WATER - SAMPLE COPY**



*Betsy*

**Dr. BETSY THOMAS**  
 MD, FRCOG, DNB, MICOG  
 PRINCIPAL  
 AMALA INSTITUTE OF MEDICAL SCIENCES  
 AMALA NAGAR, THRISSUR-680 555



GPS Map Camera




*Betsy*  
**Dr. BETSY THOMAS**  
MD, FRCOG, DNB, MICOG  
PRINCIPAL  
AMALA INSTITUTE OF MEDICAL SCIENCES  
AMALA NAGAR, THIRUVANANTHAPURAM-680 555

Thiruvananthapuram, India

## HOSTEL FACILITIES

Standard: 1.5.4

Measurable point: Water/ Electricity facilities



**GLOBAL  
LABS & CONSULTANTS**  
(A DIVISION OF PERIYAR BIOTECH (P) LTD)  
AN ISO9001:2015 & 14001:2015 CERTIFIED COMPANY  
Approved by Kerala State Pollution Control Board


### TEST REPORT


Client Address : AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.  
Source of Sample : WTP Filter Out  
Sample Collected by : Global Services  
Date of Collection : 29.08.2025  
Ref.No : GLC/D/50830218  
Period of Analysis : 30.08.2025 - 02.09.2025  
Prepared on : 02.09.2025

CHEMICAL ANALYSIS REPORT					
Sl. No	Characteristics	Unit	Methods	Desirable Limits	Actual Contents
1	pH		IS:3025(Pt.11)2022	6.5-8.5	6.8
2	Conductivity	µs/cm	IS:3025(Pt.14)2013	800	190
3	Total Dissolved Solids	mg/l	IS:3025(Pt.16)2023	500	114
4	Turbidity	NTU	IS:3025(Pt.10)2023	05	<1
5	Methyl orange alkalinity as CaCO <sub>3</sub>	mg/l	IS:3025(Pt.23)1986	200	30
6	Total Hardness as CaCO <sub>3</sub>	mg/l	IS:3025(Pt.21)2009	200	20
7	Calcium	mg/l	IS:3025(Pt.40)1991	75	8.02
8	Magnesium	mg/l	IS:3025(Pt.46)1994	30	2.9
9	Chloride	mg/l	IS:3025(Pt.32)1988	250	34.03
10	Sulphate as SO <sub>4</sub>	mg/l	IS:3025(Pt.24)1986	150	<1
11	Iron as Fe	mg/l	IS:3025(Pt.53)2003	0.3	0.06
12	Sodium	mg/l	IS:3025(Pt.45)1993	70	22.1

Remarks:  
All chemical parameters are within the standard limit of drinking water.

CHEMIST  
*Rajiy*





**Registered Office**  
Global House, Mekkad P.O.,  
Karakattukunnu, Nedumbassery  
Ernakulam Dt. Kerala - 683589  
Phone: 04847180654, 9446429151  
Website: www.globallabscottin.com  
Email: periyarbiotech2003@gmail.com

**Warehouse**  
Mob: 9562800848  
Bamboo House, Kuzhur P.O.  
acctsperryarbiotech2003@gmail.com

**R&D Laboratory**  
Mob: 9562800841, 8281001152  
Email: globallabskuzhur@gmail.com


### DRINKING WATER - SAFETY CERTIFICATE SAMPLE COPY

Date: 28/01/2025  
Place: Thri'ssu



*Betsy*  
**Dr. BETSY THOMAS**  
MD, FRCCG, DNB, MICOG  
Principal

PRINCIPAL  
AMALA INSTITUTE OF MEDICAL SCIENCES  
AMALA NAGAR, THRISSUR-680 555

Amala Institute of Medical Sciences (An Undertaking of Amala Cancer Hospital Society)  
Affiliated to Kerala University of Health Sciences Accredited by KUPS with OAS A Grade  
NABH & NABL Accredited & ISO 9001:2015 Certified, Amala Nagar P.O, Thri'ssu, Kerala.  
Ph: +91 487 2304000, 2304070 | Fax: +91 487 2307969 | urooncology@amalaims.org  
www.amalaims.org | Follow us on 





# GLOBAL LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO9001:2015 & 14001: 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board

## TEST REPORT


Client Address : AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.  
Source of Sample : WTP Filter Out  
Sample Collected by : Global Services  
Date of Collection : 29.08.2025  
Ref.No : GLC/D/50830218  
Period of Analysis : 30.08.2025 - 02.09.2025  
Prepared on : 02.09.2025

### CHEMICAL ANALYSIS REPORT

Sl. No	Characteristics	Unit	Methods	Desirable Limits	Actual Contents
1	pH		IS:3025(Pt.11)2022	6.5-8.5	6.8
2	Conductivity	µs/cm	IS:3025(Pt.14)2013	800	190
3	Total Dissolved Solids	mg/l	IS:3025(Pt.16)2023	500	114
4	Turbidity	NTU	IS:3025(Pt.10)2023	05	<1
5	Methyl orange alkalinity as CaCO <sub>3</sub>	mg/l	IS:3025(Pt.23)1986	200	30
6	Total Hardness as CaCO <sub>3</sub>	mg/l	IS:3025(Pt.21)2009	200	20
7	Calcium	mg/l	IS:3025(Pt.40)1991	75	8.02
8	Magnesium	mg/l	IS:3025(Pt.46)1994	30	2.9
9	Chloride	mg/l	IS:3025(Pt.32)1988	250	34.03
10	Sulphate as SO <sub>4</sub>	mg/l	IS:3025(Pt.24)1986	150	<1
11	Iron as Fe	mg/l	IS:3025(Pt.53)2003	0.3	0.06
12	Sodium	mg/l	IS:3025(Pt.45)1993	70	22.1

#### Remarks:

All chemical parameters are within the standard limit of drinking water.



CHEMIST

*Raiqy*



#### Registered Office


Global House, Mekkad P.O.,  
Karakkattukunnu, Nedumbassery  
Ernakulam Dt. Kerala - 683589  
Phone: 04847180654, 9446429151  
Website: www.globallabscochin.com  
Email:periyarbiotech2003@gmail.com

#### Warehouse

Mob: 9562800848  
Bamboo House, Kuzhur P.O.  
acctsperryarbiotech2003@gmail.com

#### R&D Laboratory

Mob: 9562800841, 8281001152  
Email:globallabskuzhur@gmail.com





# GLOBAL<sup>®</sup> LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO9001:2015 & 14001: 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board



## REPORT ON ANALYSIS OF WASTE WATER

1. Source of Sample: Ultra Filter out		2. Ref.No: GLC/E/50813572			
3. Sample Collected by: Global services		4. Date of Collection: 12.08.2025			
5. Period of Analysis: 13.08.2025 - 16.08.2025		6. Prepared on: 16.08.2025			
7. Client Address: AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.					
Sl. No	PARAMETERS	Unit	Method	KSPCB LIMIT	ACTUAL CONTENTS
1	pH	--	IS:3025(Pt.11)1983	5.5-9.0	7.05
2	Total Dissolved Solids	mg/l	IS:3025(Pt.16)1984	2100	784
3	Total Suspended Solids	mg/l	IS:3025(Pt.17)1984	100	<1
4	BOD 3 days at 27°C	mg/l	IS:3025(Pt.44)1993	30	6.4
5	COD	mg/l	IS:3025(Pt.58)2006	250	35.2
6	Oil and Grease	mg/l	IS:3025(Pt.39)1991	10	<1

Remarks: All parameters are within the limit of KSPCB Standard.

CHEMIST

Raiqu



### Registered Office

Global House, Mekkad P.O.,  
Karakattukunnu, Nedumbassery  
Ernakulam Dt. Kerala - 683589  
Phone: 04847180654, 9446429151  
Website: www.globallabscochin.com  
Email: periyarbiotech2003@gmail.com

### Warehouse

Mob: 9562800848  
Bamboo House, Kuzhur P.O.  
acctsperryarbiotech2003@gmail.com

### R&D Laboratory

Mob: 9562800841, 8281001152  
Email: globallabskuzhur@gmail.com



# GLOBAL<sup>®</sup> LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO9001:2015 & 14001: 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board


## TEST REPORT

Client Address : AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.  
Source of Sample : WTP Filter Out  
Sample Collected by : Global Services  
Date of Collection : 29.08.2025  
Ref.No : GLC/D/50830218  
Period of Analysis : 30.08.2025 - 02.09.2025  
Prepared on : 02.09.2025

MICROBIOLOGICAL ANALYSIS REPORT					
Sl. No	Characteristics	Unit	Methods	Desirable Limits	Actual Contents
1	Total Plate Count	cfu/ml	IS:5402:1969	100	12
2	Total Coliform	MPN/ 100ml	IS:5401:1969	Nil	Nil

### Remarks:

Microbiological parameters are within the standard limit of drinking water.



MICROBIOLOGIST

*Raigy*

Note : The Results given in this report were obtained at the time of the test and refer only to the particular sample submitted.

*Betsy*

Dr. BETSY THOMAS  
MD, FRCOG, DNB, MICOG

PRINCIPAL

AMALA INSTITUTE OF MEDICAL SCIENCES  
AMALA NAGAR, THRISSUR, 680155

Email: [globallabskuzhur@gmail.com](mailto:globallabskuzhur@gmail.com)



14001:2015

9001:2015

### Registered Office

Global House, Mekkad P.O.,  
Karakattukunnu, Nedumbassery  
Ernakulam Dt. Kerala - 683589  
Phone: 04847180654, 9446429151  
Website: [www.globallabscochin.com](http://www.globallabscochin.com)  
Email: [periyarbiotech2003@gmail.com](mailto:periyarbiotech2003@gmail.com)

### Warehouse

Mob: 9562800848  
Bamboo House, Kuzhur P.O.  
[acctsperryarbiotech2003@gmail.com](mailto:acctsperryarbiotech2003@gmail.com)